

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listing, of claims in the application:

Listing of Claims:

1. **(Currently Amended)** In a computer system having an operating system platform, a user interface framework system for rendering data according to a visual style defined for the data type, the system comprising:

a plurality of objects, wherein the plurality of objects have one or more data fields;
a style definition module for holding one or more visual style definitions to be selectively applied to the plurality of objects;

a style lookup module for locating an associated visual style definition;

a binding module for binding the one or more data fields to one of a properties of the appropriate visual style definition;

a tree assembler module for generating a visual representation of the data based on the appropriate visual style definition;

~~a rendering engine for displaying the data using the bound visual style definition;~~

~~a layout engine for providing additional user interface elements; and~~

~~a user interface element factory for adding the having additional user interface elements to the data;~~

a layout engine for adding one or more of the additional user interface elements to the visual tree after the appropriate visual style definition has been bound to the one or more data fields; and

a rendering engine which uses the visual tree passed to the layout engine to render the data for display.

2. **(Cancelled)**

3. **(Original)** A system as defined in claim 1 wherein the objects are independent from the visual styles.

4. **(Original)** A system as defined in claim 1 wherein the tree assembler module builds a visual tree to represent the visual elements of the display.

5. **(Original)** A system as defined in claim 1 wherein the plurality of objects are
2 displayed as a list.

6. **(Original)** A system as defined in claim 1 wherein the plurality of objects are
2 displayed as a menu.

7. **(Original)** A system as defined in claim 1 wherein the plurality of objects are
2 displayed as a combo box.

8. **(Original)** A system as defined in claim 1 wherein the objects form a group, and
2 wherein the system further comprises a group visual style definition and wherein the tree
assembler module generates the visual representation based on the group visual style, the group
4 visual style being independently defined from the data items.

9. **(Currently Amended)** A method of displaying one or more data items according to
2 an appropriate visual style comprising:

receiving a request to display one or more data items;

4 locating the appropriate visual style, wherein the appropriate visual style is independently
defined from the one or more data items;

6 generating a visual tree using the one or more data items and the appropriate visual style;

binding properties in the visual tree to properties of the one or more data items;

8 adding additional user interface elements to the visual tree after the properties in the
visual tree have been bound to the one or more data items; and

10 rendering the display based on the visual tree having the additional user interface
elements.;

12 ~~detecting a change dynamically in a relevant data item;~~

~~invalidating the visual tree;~~

14 ~~recognizing the invalidation of the visual tree; and~~

~~in response to recognizing the invalidation of the visual tree, regenerating the necessary~~
16 ~~portions of the visual tree; and~~

~~re-rendering the display based on the regenerated visual tree.~~

10. **(Original)** A method as defined in claim 9 further comprising declaring the data
2 items using data objects.

11. **(Original)** A method as defined in claim 9 further comprising:
2 automatically updating the visual tree in response to a change to a relevant data item..

12. **(Original)** A method as defined in claim 11 wherein the change to a relevant data
2 item involves the addition of a relevant data item.

13. **(Original)** A method as defined in claim 11 wherein the change to a relevant data
2 item involves the deletion of a relevant data item.

14. **(Cancelled)**

15. **(Original)** A method as defined in claim 9 wherein the data items form a list.

16. **(Original)** A method as defined in claim 9 wherein the data items form a menu.

17. **(Original)** A method as defined in claim 9 wherein the data items form a
2 combination box.

18. **(Original)** A method as defined in claim 9 further comprising:
2 defining a visual style for a group;
associating the data items with the group;
4 in response to the request to display the data items, locating the visual style for the group;
and
6 generating the visual tree based on the visual style for the group.

19. **(New)** A method as defined in claim 9 further comprising:
2 detecting a change dynamically in a relevant data item;
invalidating the visual tree;
4 recognizing the invalidation of the visual tree;
in response to recognizing the invalidation of the visual tree, regenerating the necessary
6 portions of the visual tree; and
re-rendering the display based on the regenerated visual tree.